Data Sheet







PeopleLink Stellar X20



Redefine Smarter Collaboration with PeopleLink Stellar X20

The new-generation audio and video conference bar PeopleLink Stellar X20 is integrated with a 2K ePTZ camera, 4 microphones, and independent speakers as one device. The intelligent ePTZ face-tracking camera helps track each movement, giving us a real and seamless conference experience.

With its exclusive audio 3A algorithm, conference sound source acquisition, and accurate noise suppression, the Stellar X20 Webcam ensures everyone hears and is heard clearly. It is compatible with most video conferencing applications and UC platforms.

- Panoramic View with 94° wide-angle FoV
- AI Face Tracking
- 360° Voice Pickup
- Audio 3A Algorithm
- 2K FHD Video Output

Key Features

- **2K e PTZ camera :** Sony sensor, 94 ° diagonal field of view 90° horizontal angle of view.
- **Microphone :** Built-in highly sensitive microphone array for 360° voice pickup with radius up to 3m, Wide coverage and clear reception.
- **Built in speaker :** Built in high power speaker, AGC automatic gain Control, clear sound quality.
- **AI face tracking :** With auto framing and face tracking function, it accurately collects meeting scenes and positioning of figures Clear and natural, rich in detail.
- Audio 3A algorithm : Audio 3A algorithm for accurate noise reduction, Echo cancellation, AGC automatic gain.
- Built in phase inversion hole : Phase inversion hole improves sound quality, Excellent audio performance. Works with most video conferencing applications Compatible with most of video conferencing software app, like PeopleLink inMeet, Skype for Business, Zoom, WebEx and so on.
- Plug-and-play USB connectivity: Built-in
 1.8m USB cable, plug-and-play with any PC or
 UC platform.



General Specifications

2K ePTZ Camera :

- 2560 x 1440 Pixels @ 30 fps
- 4 Megapixel Sony sensor
- 94° Wide Of View
- 4x Digital Zoom
- MJPEG Dual Stream Output

Integrated Audio :

- Built-in Speaker
- Voice Pickup Range Up to 3 meters
- 82dB Speaker Output
- Built-in 4 Microphone Arrays
- Sensitivity: 82 ± 3dB
- 45Hz to 15KHz Microphone Frequency Range
- Acoustic Echo Cancellation & Noise Reduction

Others :

Connections: 1 x 1.8M USB 2.0 Cable

Product size : 260mm x 60mm x 56mm

Package size: 275mm x 98.5mm x 78mm

Warranty : 12 Months

What's In The Box

- 1 x Stellar X20 Conference Camera
- 1 x User Manual

Plug-and-Play USB Connectivity

Simplify your setup with the PeopleLink all-in-one video bar, featuring a seamless USB cable for effortless connectivity. This plug-and-play marvel integrates with any PC or UC platform, guaranteeing a swift and trouble-free connection. Our innovative design ensures a quick, hassle-free setup, allowing you to focus on what truly matters – your seamless online interactions.

True Voice Speaker

The Stellar X20 video bar uses carefully tuned 2W true voice speakers with 82dB Speaker output, which can achieve 360° sound diffusion, true and full. Suitable for individuals and small meetings rooms without additional audio devices.








Application Scenarios



Disclaimer:- Room setup diagrams are provided for reference only. Actual room setup and size may vary as per requirements.

Connectivity



Ordering Information

Part code

PPU-PVC-WC-20+

SALES AND INQUIRIES

Global Headquarters

Q3-A3, 10th Floor Cyber Towers, HITEC City, Hyderabad, Telangana 500081, **India Phone:** +91 9100123013 **Email:** <u>vc@peoplelinkvc.com</u>

International Contact Numbers

USA: +1 669-696-8383 Australia: +61 370 037070 France: +33 6 80 75 26 42 Middle East: +966 5300 19292 UK: +44 20 4571 5454 UAE: +971 4 3339082 Canada: +1 647-945-7373 Malaysia: +(6)018-2872188 New Zealand: +64-9-802-4666 Africa: +254 107 529 656

Tech Support

Toll Free: 1800 208 3399 customersupport@peoplelinkvc.com

© 2024 All rights reserved PeopleLink. the PeopleLink logo and other PeopleLink marks are owned by PeopleLink and may be registered.

Disclaimer: All other trademarks are the properties of their respective owners. PeopleLink assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.